

Notice of Allowability	Application No.	Applicant(s)
	10/798,401	KAMIMURA, NAOYA
	Examiner	Art Unit
	Dixomara Vargas	2859
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. X This communication is responsive to <u>Amendment filed 08/15/06</u> .		
2. ☑ The allowed claim(s) is/are <u>1-7,9,11-18 and 20-26</u> .		
 Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 	nder 35 U.S.C. § 119(a)-(d) or (f).	
1. 🛛 Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawing he header according to 37 CFR 1.121(ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Date 7.	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
- , = g	9.	
	•	

Application/Control Number: 10/798,401 Page 2

Art Unit: 2859

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-7, 9, 11-18 and 20-26 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:
 - a. With respect to claim 1, the claim has been found allowable over the prior art of record because the prior art of record fails to teach or fairly suggest an image forming apparatus comprising a developing unit configure to be separable fro the associated image carrier and detachable from the image forming apparatus wherein the developer of black color contains more charge control agent than developers of the other colors so that the developer of black color is more chargeable than the developers of other colors in combination with the remaining limitations of the claim.
 - b. With respect to claims 2-7, 9 and 11, the claims have been allowed due to its dependency on claim 1 above.
 - c. With respect to claim 12, the claim has been found allowable over the prior art of record because the prior art of record fails to teach or fairly suggest an image forming apparatus comprising a developer supplying unit disposed in contact with a developer carrier wherein the developer of black color contains more charge control agent than developers of other colors so that the developer of black color is more chargeable than the developers of other colors in combination with the remaining limitations of the claim.

Art Unit: 2859

d. With respect to claim 13-18 and 20-26, the claims have been allowed due to its dependency on claim 12 above.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dixomara Vargas whose telephone number is (571) 272-2252. The examiner can normally be reached on Monday to Thursday from 8:00 am. to 4:30 pm..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/798,401

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Dixomara Vargas

Art Unit 2859 October 30, 2006 Diego Gutierrez

Supervisory Patent Examiner

Page 4

Technology Center 2800